



PLATFORM TRUCK



Foldable Platform Truck

DT-PT300 DT-PT150



Technical Parameters

DT-PT300

Load	300kg
unfold size	904(L) x 604(W) x 870(H)mm
plate size	904(L) x 604(W) mm
height between plate and ground	190mm
caster diameter	diameter 127mm ; rubber
handle	Φ28mm; Foldable
Surface treatment	powder coating
surface	Pvc pad / edge protector
Weight	15 kg

Features

- 1.The folding platform truck is mainly composed of the platform,foldable handrail,and mute casters.It is beautiful in appearance,strong in structure,as well as economic and durable in use.
- 2.The product body is integrally formed by cold-rolled plate stamping, with reinforced ribs.The handrail is formed by seamless steel pipe, and the folding mechanism is reliable and convenient to operate.
- 3.The floor surface and four sides of the platform truck are attached with PVC pad and edge protector to prevent goods from sliding and make them resist the impact of collision
- 4.The casters adopt tailor-made ball bearings and needle roller bearings, thus having characteristics of small rolling resistance and making no noise.
- 5.The whole product is processed by the electrostatic spraying.
- 6.It is extensively used for the material handling in the factories,warehouses,distribution centers,and other places.



BEAUTIFUL

SLIENT

ANTISKID

DT-PT150

Load	150kg
unfold size	720(L) x 470(W) x 830(H)mm
plate size	720(L) x 470(W)
height between plate and ground	150mm
caster diameter	100mm,Rubber
handle	Φ 28mm; Foldable
Surface treatment	powder coating
surface	Pvc pad / edge protector
Weight	9 kg



Foldable Platform Truck

DT-PT360



Technical Parameters



Load	350kg
unfold size	904(L) x 604(W) x 870(H)mm
plate size	904(L) x 604(W) x 830(H)mm
height between plate and ground	190mm
caster diameter	diameter 127mm ; PU
Handle	Φ 28mm, Foldable
Surface treatment	powder coating
surface	Pvc pad / edge protector
Weight	16kg



Foldable Platform Truck

LUXURY

DT-PT300A



Technical Parameters

Load	300kg
unfold size	904(L) x 604(W) x 870(H)mm
plate size	904(L) x 604(W) mm
height between plate and ground	190mm
caster	diameter 127mm,PU
handle	φ 28mm, Foldable cover
Surface treatment	powder coating
surface	Thickened Pvc pad / edge protector
Weight	16kg